

For Earth, For Life Kubota

KUBOTA ZERO-TURN MOWER

Z100 Series z122R/z122E/z125E/z121S/z125S

The ultimate residential zero turn mower combining style, comfort and performance.





Kubota's residential innovation turns mowing into a power trip and manages to keep your budget trim, too. The Kommander Z100 Series manoeuvres through landscapes with comfort and ease. Have it all - style, comfort and performance, matched with Kubota's excellence in quality and durability. Engineered especially for the homeowners with exclusive, easy-to-use features.

The
4 Year / 300 Hour
warranty* covers
powertrain too!

KUBOTA

E-model Z122E & Z125E

S-model

Z121S & Z125S Equipped with LED Headlights and Full Seat Suspension

Mow Your lawn like a pro, with the smooth, effortless performance of the Kommander.

*For Z122R's engine, please refer to an engine manufacturer's warranty policy. For cases beyond the engine manufacturer's warranty during the period mentioned above, please contact your authorized Kubota dealer.





Introducing the ALL-NEW Kommander with 42" deck.





Introducing the all-new Kommander Z122R with 42" deck.

Maneuver in and out of intricate spaces smoothly and with
ease while delivering the power you need to get the job done
quickly. Like the rest of the Kommander lineup, the Z122R
offers unmatched ergonomics and comfort to keep you working
efficiently all day long at a powerfully affordable price.





COMFORT & STYLE, PLUS EASY OPERATION

There's a lot to like about Kommander. From their comfortable ergonomic design to their style and convenience, these attractive, hardworking mowers are designed to make mowing as easy as possible.

SMOOTH OPERATION LEVERS

Dual operation levers provide the smooth, precise control you'll need for delicate trimming and work around trees and flowerbeds.

6"(4") SLIDE SEAT

The seat slides a full 6"(4": Z122R) forward and back, letting you find just the right position for maximum personal comfort.

STANDARD ROPS

For safety and peace of mind, all Kommander mowers are equipped with a full-height ROPS.

STORAGE BOXES

For your tools, lunch, and anything else too big or heavy for your pockets.

KUBOTA

K-LIFT (Mechanical One Push Deck Lift Pedal) (E/S model only)

The K-Lift pedal makes adjusting the cutting height simple.



Push and release the pedal to raise the deck



2 Use the dial to adjust the cutting height



Push and release the pedal again to lower the deck



COMFORT / CONVENIENCE / STYLE



HIGH BACK SEAT

Soft and roomy, the high back seat will keep you comfortable even on those extra-long mowing jobs.



WIDE FOOT PAN

There's plenty of legroom up front, thanks to a wide foot pan. It also makes entry and exit a snap.



CUP HOLDERS

Keep your drink cup or tumbler always handy in the integrated cup holders.



LED HEADLIGHTS

Standard on the S-model and option on the E/R-model, the bright LED headlight lets you continue mowing in low light conditions

EASY OPERATION



1/4" INCREMENT CUTTING HEIGHT ADJUSTMENT

A simple twist of a dial lets you adjust the cutting height in precise 1/4" increments.



ERGONOMIC CONTROL LAYOUT

All controls and indicators are neatly placed for quick, easy, user-friendly access.





WHEN PERFORMANCE COUNTS...



POWERFUL ENGINES

Power defines the Kommander's hardworking engines. Whatever the mowing job, you can count on the Kommander to deliver power when you need it.

KUBOTA



RUGGED TRANSMISSION

The low-maintenance, integrated design delivers outstanding power and operational efficiency to the wheels and mower deck.





DEEP WELDED MOWER DECK

This 10 gauge steel, welded mower deck provides outstanding, professionallevel cutting performance. If you're a homeowner who wants the best-this mower deck is for you.



The
4 Year / 300 Hour
warranty* covers
powertrain too!

*For Z122R's engine, please refer to an engine manufacturer's warranty policy. For cases beyond the engine manufacturer's warranty during the period mentioned above, please contact your authorized Kubota dealer.

Specifications

Model			R-model	E-model		S-model			
				Z122RKW-42	Z122EBR-48	Z125EBR-54	Z121SKH-48	Z125SKH-54	
Engine	Туре			Petrol, air-cooled V-Twin					
	Max. horsepower (Gross)		HP	21.5*	22**	25**	21**	25**	
	Total displacement		cc	726	72	24	725	747	
	Starting system			Key switch					
Dimensions	Overall length		mm	1890	1940				
	Overall width	(w/ mower)	mm	1400	1552	1710	1552	1710	
		(w/o mower)	mm	1076	1207				
	Overall height	(w/ ROPS upright)	mm	1659 1652					
Wheel base		mm	1233.5	1155					
Tread	Front		mm	616	796				
	Rear		mm	885	954				
Tyre size	Front				11 × 4 – 5 pneumatic				
	Rear			$18 \times 7.5 - 14$	22 × 10 – 14				
Weight (w/ mower) kg			kg	281.6	335	34	340 350		
Transmission			ZT2200		ZT3100				
Transmission system			2-HST w/ Gear reduction						
Speed control				2-hand lever					
Travel speed	Forward		km/h	0–10.5					
range	Reverse		km/h	0–6.4					
Brake type			Cog style parking lock / lever						
РТО	Туре			Belt drive					
	Clutch type			Electric clutch					
	PTO brake			Dry disc					
Mower deck	Model			RCK42P-122Z	RCK48P-124Z	RCK54P-127ZA	RCK48P-124Z	RCK54P-127ZA	
	Mower lift system			Mechanical					
	Mower deck type		Pro commercial fabricated deck						
	Deck depth		mm	114 127					
	Belt type			Single belt					
	Deck steel thickness mm		mm	3.4					
	Anti-scalp roller			Rigid					
	Cutting width of mower		in.	42	48	54	48	54	
	Number of blades			2 blades		3 blades			
	Cutting height			1.5 in 4.25 in. 1/4" in. increments					
	Mower mounting system		Parallel linkage						
	Blade tip speed (max.) FPM		17700 18100						
Engine stop system			Key stop						
Fuel tank capacity ltrs.			12.2	12.2					
Battery				U1 (12V, RC: 45min, CCA: 300, CA: 410)					
Generator capacity			Amp	15	1	6	1	5	
Hour meter			Standard						
Fuel gauge				Sight window					

^{*}These Kawasaki engines have been tested in accordance with SAE J1995, verified by TÜV Rheinland Group, and certified by SAE International. The gross power ratings of these engines were determined by using measurements according to SAE J1995 which were witnessed by SAE-approved witnesses from TÜV Rheinland Group. Torque ratings of these engines were not certified by SAE. Actual power and torque output will vary depending on numerous factors, including, but not limited to, the operating speed of the engine in application, environmental conditions, maintenance, and other variables.
**Power (hp) specifications for individual gasoline engine models are rated pursuant to Society of Automotive Engineers (SAE) J1940 based on gross output testing performed in accordance with SAE J1995 without the air cleaner and muffler. Gross engine hp will be higher than actual engine power which is affected by accessories application, engine speed, ambient operating conditions and other factors. The gross engine horsepower information is for comparison purposes only.

The company reserves the right to change the above specifications without notice. Please contact your local Kubota dealer for warranty information. For your safety, Kubota strongly recommends the use of a roll over protective structure (ROPS) and seatbelt in almost all applications.

Attachment & Option Kit



 Grass catcher Easily attach or detach the grass catcher in minutes without the use of tools.



Mulching kit

Reduce yard waste and help nourish your lawn. Each mulching blade is surrounded by baffles creating more lift, cutting grass into tiny clippings that help nourish lawns.

- LED headlights*1
- Mower lift assist kit*2
- Seat suspension*3
- Hitch kit*4
- *1 E/R-models only (Standard on S-model)
- *2 E/S-models only.

 *3 E-models only (Standard on S-models)

 *4 R-model only (Standard on E/S-models).

©2015 Kubota Corporation

KUBOTA Tractor Australia Pty Ltd

25-29 Permas Way, TRUGANINA Vic, 3029 Freecall: 1300-582-582 Email: sales@kubota.com.au

Web Site: http://www.kubota.com.au

CB Norwood Distributors Ltd

PO Box 1265, 888 Tremaine Avenue. Palmerston North 0800 KUBOTA
Tel: 06 356 4920 Fax: 06 356 4939

Web Site: http://www.kubota.co.nz

