


**Grillo**<sup>®</sup>  
 AGRIGARDEN MACHINES



**Grillo**  
**Climber**



**CLIMBER  
 10  
 SERIES**



**CLIMBER  
 9  
 SERIES**



**CLIMBER  
 7  
 SERIES**



**For safety, stability and performance in tough conditions there is only one mower to consider.**

# Grillo® Climber

For safety, stability and performance in tough conditions there is only one range to consider - **Grillo Climber**: a comprehensive line up of quality Italian made machines optimised for tough Australasian mowing conditions. Grillo has been the market leader in Australia and NZ for more than fifteen years. Grillo Climbers are well proven and use high quality European componentry.

### Three ranges of Climber models are available:

**7 Series 2WD** models for smaller lifestyle properties, **9 Series 2WD** models for large blocks and **10 series AWD** models for very steep mowing on tough terrain.

Grillo Climbers will effectively mow down over metre high grass including brushwood, gorse, bracken, lantana, overgrown areas of vegetation and even create fire breaks in dry environments.

The Climber range provides mowing solutions for places where even a tractor won't go, extending your mowing as well as your safety - highly productive in areas with restricted access or in situations where hand held trimmers or walk-behind mowers would be ineffective or would be too labor intensive.

The Climber range takes safety to a new level with its low slung design, central weight distribution and very low centre of gravity. Climbers provide you with complete control and safety over your mowing experience. Designed to mow up, down, and across steep slopes, Grillo Climber safely mows places your old ride on mower couldn't even reach.



**Grillo®**  
AGRIGARDEN MACHINES



## Safety, Stability, and Performance in Tough Conditions - Grillo Climber.



- A family friendly, safer way to mow due to an extremely low centre of gravity and ground hugging profile.
- Cutting decks that can handle stones and other debris – PRO decks on CL10 series.
- You can extend your mowing due to the Climber's ability to handle rough, steep terrain and mow not only very long grass but also the short grass around your house.
- Highly effective front safety brakes on 2WD models for controlling descent and bringing the machine instantly to a halt on steep slopes.
- Mow anytime – tractor wheel grip and differential lock enables you to mow all year round even across slopes when wet and slippery.
- Mow when it suits you – the Climber's ability to mow any length grass means you don't have to worry if you miss a mowing cycle. Now you can mow when you want to not when the conditions dictate!
- Heavy duty hydrostatic transmission on 9 and 10 series AWD models for easy operation and greater reliability when the going gets tough.
- Ability to fit rear dual wheels (on 9 series) for extra stability and traction on steep slopes, as well as tow bars for light towing.
- Highly manoeuvrable two wheel drive and four wheel drive machines with light rack and pinion steering and small turning circle radius.
- Low noise levels – kinder on you and the people around you.
- Ergonomic, Italian design and aesthetics makes the Climber attractive to look at and comfortable to drive.

# Grillo Climber

The **Climber 7 Series** range has been designed for smaller lifestyle properties or small blocks where it may not be so rough underfoot and the ground is therefore smoother. Available in two configurations – **Climber 7.13** and **Climber 7.18** both with 85cm cutting width and tractor wheels. CL7 series Climbers are available in either 13.0hp or 18hp engine options and are also fitted with a powerful headlight for mowing in low light conditions.

Climber 7 Series machines will tackle terrain types and long grass that your old mower couldn't cope with and will allow you to mow safely in damp and slippery conditions. The Climber 7.13 and CL7.18 also feature tractor type wheels, **differential lock** for providing better traction and **front brakes** for safe descent and instant stopping. Also, like the heavier duty 9 series machines, the blade engage system is controlled by an electromagnetic clutch and the front wheels have an anti-puncture treatment.

**Built robustly with a quality Kanzaki Tuff Torq hydrostatic gearbox, 7 Series Climbers will give you years of trouble free running with normal maintenance.**

**Climber 9 Series** machines are strong, dependable mowers for heavy duty use on big blocks. Designed where high level performance is required on difficult, sloping, uneven terrain where it might be rough under foot. With 91cm cutting width as standard, the Climber 9 Series will handle rough terrain, over metre high grass, woody material up to 25mm Ø as well as steep slopes. The Climber 9 Series comes in two models to suit your application. Choose between 18hp and 22hp engines depending on the size of your property.

All 9 series Climbers feature a transmission group with a professional Hydro-Gear hydrostatic transmission with an independent gearbox and oil cooler. Blade engage is by electromagnetic clutch and like the Climber 7 series models there are tractor type wheels, **differential lock** for providing better traction, **front brakes** for instant stopping and anti-puncture treated front wheels.

Tough conditions present little challenge to 9 series Grillo Climbers. Their low slung well balanced design with low centre of gravity provides the safest mowing solution for you and other family members who wish to help with mowing tasks.

**Climber 10 Series AWD** models are the ultimate mower for very steep mowing applications. Utilising the latest open space frame technology 10 series AWD machines are the most comfortable, ergonomically designed steep gradient mowers on the market. Construction is "open" – no closed in panels where grass and debris can remain trapped.

Left and right foot pedals control differential lock on the rear wheels as well as automatic transmission braking which brings the machine to a stop when you need to fend away tree branches. This feature is unique to Grillo 9 and 10 Series machines.

Sit in a Grillo 10 Series AWD model and note the superior seating position and comfortable ergonomics. With an industry leading 70cm turning radius these AWD models have the best turning circle on the market. Ideal for very steep properties where 4WD performance is required 10 series models can travel up and down slopes (gradeability) of 35degs and across slopes of 22 degs (lateral stability) \*see note.

Two CL10 series AWD models are available and Grillo have built these 10 Series models with operator comfort in mind with the **CL10.27** model having an ergonomically designed Grammer seat mounted on a suspended platform controlled by suspension struts. With a very comfortable seating position that Grillo Climbers are well known for, CL10.27 caters for commercial operators many of whom would spend significant hours on the machine. Twin LED headlights extend mowing time in fading light. Engine options are professional grade 22hp and commercial grade 27hp on CL10.27 which includes a cyclonic air cleaner for dusty environments. Cutting decks are highly robust and provide either 93cm and 98cm cutting widths. Foldable roll bars are standard on each model while the Grammer seat on CL10.27 is weight adjustable. On the 10 series models Grillo has continued with the well proven electromagnetic clutch with blade brake system which ensures long cutter deck belt life resulting in low cost maintenance.

\*Note: The stability limit according to European standards is when the machine starts lifting the right side wheels off the ground with a 90 Kg. operator on board. The Grillo (lateral) stability limit of CLS10 series models is 36.7°. The European standard says the machine maker must put on the machine a safety label indicating a 60% safety allowance of the stability limit for 90 kg operator safety. That is why the safety label on CLS10 says 22° (36.7° x 60%).

## Climber 7 Series



## Climber 9 Series



## Climber 10 Series



**Grillo Climber – it's all about safety for you and your family!**





**Climber 7 Series**



**Climber 9 Series**



**Climber 10 Series**



	<b>CL7.13 ~ CL7.18</b>	<b>CL9.18 ~ CL9.22</b>	<b>CL10.22AWD</b>	<b>CL10.27AWD</b>
<b>Item Code</b>	88W5P ~ 89WBE	8WMBE ~ 8WMAH	8010AH	8011AQ
<b>Gross HP SAE J1940</b>	13.0HP ~ 18.0HP	18.0HP ~ 22.0HP	22.0HP	27.0HP
<b>B&amp;S Engine</b>	OHV single cyl ~ Twin cyl	INTEK 7180 Twin cyl INTEK 7220 Prof Twin cyl	INTEK 7220 Prof Twin cyl	Commercial turf 8270 series with Cyclonic air filter
<b>Fuel tank</b>	7L	13L	13L	13L
<b>Starting system</b>	12V battery			
<b>Hydrostatic gearbox</b>	Kanzaki K46 2WD	Hydrogear 2WD	Kanzaki K6XH10N Japan and K664 USA	Kanzaki K6XH10N Japan and K664 USA
<b>Differential lock</b>	Yes	Yes	Yes	Yes
<b>Blade engage system</b>	Electromagnetic Clutch & blade brake	Electromagnetic Clutch & blade brake	Electromagnetic Clutch & blade brake	Electromagnetic Clutch & blade brake
<b>Speed forward</b>	0 - 9 km/hr	0 - 10 km/hr	0 - 9 km/hr	0 - 9 km/hr
<b>Speed reverse</b>	0 - 6 km/hr	0 - 6 km/hr	0 - 8 km/hr	0 - 8 km/hr
<b>Tractor tyres front (puncture treated)</b>	13x5.00-6	13x5.00-7	16x6.50-8	16x6.50-8
<b>Tractor tyres rear</b>	16x6.50-8	17x8.00-8	20x10.00-8	20x10.00-8
<b>Brakes</b>	Front drum	Front drum	Transmission	Transmission
<b>Parking brake</b>	On rear wheels	On rear wheels	On rear wheels	On rear wheels
<b>Sprung seat</b>	Yes	Yes	With opt suspension	Grammer seat with gas struts
<b>Foldable roll bar</b>	Fixed	Fixed	Yes	Yes
<b>Pivoting front axle</b>	Yes	Yes	Yes	Yes
<b>Cutting deck</b>	Rear/side discharge	Rear/side discharge	Pro Rear/side discharge	Pro Rear/side discharge
<b>Blade type (double cutting edge)</b>	Single bar with swing blades	Single bar with swing blades	Single bar with swing blades	Single bar with swing blades
<b>Cutting width</b>	850mm (34")	910mm (36")	930mm (37")	980mm (39")
<b>Blade tip speed</b>	76m/sec	76m/sec	83m/sec	87m/sec
<b>Optional mulch kit</b>	No	Yes	No	No
<b>Cutting height</b>	35 - 85mm	30 - 90mm	35mm - 135mm	35mm - 135mm
<b>Height positions</b>	6 and travel	4 and travel	Continuous adjustment	Continuous adjustment
<b>Houghly cutting capacity (aprox)</b>	4,800 m2/hr ~ 6,000m2/hr	6,000 m2/hr ~ 7,200m2/hr	7,200 m2/hr	7,500 m2/hr
<b>Internal steering radius</b>	450mm	380	700mm	700mm
<b>Length</b>	1895mm	1800	2060mm	2060mm
<b>Width</b>	950mm	990	1030mm	1080mm
<b>Height</b>	975mm	1070	1185mm	1185mm
<b>Weight</b>	225kg ~ 235kg	293kg~307kg	345kg	355kg
<b>Longitudinal stability</b>	30degs	30degs	35degs	35degs
<b>Factory lateral stability</b>	33degs	33degs	36.5degs	36.5degs
<b>CE Lateral stability*</b>	*20degs	*20degs	*22degs	*22degs

NOTE: Changes to specifications may occur without notice

**WARRANTY: 3 Year Limited Warranty on registered units.**

1st Year: Full Parts and Labour warranty

2nd Year: Full Cost of Parts

3rd Year: Half Cost of Parts

Refer to full warranty conditions at:

**www.grillo.com.au - www.grillo.co.nz**

1-800 474556

0-800 474556

Importer and distributor AgriGarden Distributors

**Dealer Stamp:**

